

CLASS 1

Building Product Information Sheet

Product name (include the brand name):

PANTHER® Access Panels - 5313KL

Product description and its intended use:

Panther® Access Panel standard range features sound-rated and metal-face budget access panels that can be installed in both steel stud and masonry walls and suspended ceiling systems. Our fire-rated access panels can also be used in suspended ceiling systems, and walls.

Suitable For:

Sound rated applications

1 and 2 hour fire rated applications

Tiled access options

Product identifier (if applicable):

(This could be a Global Trade Item Number (GTIN) or quick response code (QR code), or any other distinguishable part/model number or identifier.)

Place of manufacture: Aotearoa New Zealand Overseas

Legal and trading name of the manufacturer(s):

Trafalgar Fire

Address for service:

STREET NAME 26A Ferndell Rd

SUBURB Granville

CITY, COUNTRY Sydney, Australia

POSTCODE 2142

Website:

www.tfire.com.au

Email address:

Sales@tgroup.com.au

Phone no. (if applicable):

1800 888 714

NZBN (if applicable):

Legal and trading name of the importer (if applicable):

Address for service:

STREET NAME	SUBURB
-------------	--------

CITY, COUNTRY	POSTCODE
---------------	----------

Website:

Email address:

Phone no. (if applicable):

NZBN (if applicable):

Relevant Building Code clauses:

NZBC B2 - Durability Clause B2.3.1 (c)NZBC C5 - Fire Resistance Clause C5.1.1

Statement on how the building product is expected to contribute to compliance:

Rondo provides 10years of product warranty against defect which complies to NZBC B2 - Durability for non-structural building elements that are easy to access and replace which requires 5 years of design life.
Rondo 60min and 120mins fire-rated access panels were tested in accordance with AS 1530 Part 4 - Fire Resistance Test for Elements of Building Construction and BS476 - Fire Test on Building Material and Structures Part 21 & 22 which complies to NZBC clause C5.1.

- options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)
- standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured
- physical properties of the building product
- how the building product is intended to be used.

Limitations on the use of the building product:

Internal use.

Design requirements that would support the appropriate use of the building product:

There are no specific design requirements for this product.

Installation requirements *(also provide link to the product installation guide)*:

Rondo recommends that this product is installed by a qualified trades person in accordance with relevant codes and standards. Refer to the Installation guide/manual for more information.

Maintenance requirements *(also provide link to the product maintenance guide)*:

There are no specific or periodical maintenance requirements for this product.

Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?:

Yes No

If yes, description of the warning or ban under section 26:

N/A

Date: 01/12/2023